

## **PRODUCT NO. 5301-030030**

## DOTLUX Wall lamp FLASK 10W 3000K white













- Decorative, flat wall light with glare-free light for stair and path lighting
- Particularly insect-friendly lighting due to warm white LEDs and asymmetrical light distribution
- Robust, splash-proof housing made of aluminum offers with IP65 best protection for outdoor
- Through-wiring possible thanks to two large cable inlet rubbers and quick-connect terminal block
- Sustainable product design with easily replaceable components
- EasyBase platform enables simple and fast mounting

SUCCESSION ARTICLE	-
WEIGHT IN KG	0.6
LUMEN PER WATT	94
POWER CONSUMPTION IN WATTS	10
NET LUMINOUS FLUX IN LUMENS	940

## Dimensions

CLICCECCION ADTICLE

width: 90mm height: 31mm length: 175mm

BEAM ANGLE	29x77x8
PROTECTION CLASS (IP)	IP65
LIGHT COLOR	white
INPUT VOLTAGE	220 - 240 V AC

INPUT VOLTAGE

**SERVICE LIFE** approx. 50.000 h at 25°C COLOR TEMPERATURE IN KELVIN 3000

**POWER FACTOR** 0,83 **INRUSH CURRENT IN A** Π **IK PROTECTION** IKO8 **LUMEN PER WATT** HOUSING COLOUR white **SWITCH CYCLES** > 100.000 WARRANTY IN YEARS SIMILAR TO RAL-COLOUR 9016

**ENERGY EFFICIENCY CLASS ACCORDING TO EU REGULATION** 

2019/2015

**ETIM GRUPPEN-ID** EC002892

**MATERIAL COVER** Plastic, transparent

not required

DIMMING 0-10 V No **DIMMING 1-10 V** No DIMMING DALI No DIMMING DMX No **DIMMING DSI** No **DIMMING POTENTIOMETER** No (INTEGRATED) **DIMMING LINESWITCH** No



DIMMING MANUFACTURER'S No PROPRIETARY SYSTEM DIMMING MAINS VOLTAGE No MODULATION **DIMMING PHASE CUT-OFF** No DIMMING PROGRAMMABLE No **DIMMING RF** No DIMMING SINE WAVE REDUCTION No **DIMMING TOUCH AND DIM** No DIMMING ZIGBEE No **DIMMING WITH PUSH-BUTTON** No DIMMING DEPENDING ON CONTROL No GEAR NO DIM FUNCTION Yes COLOUR CONSISTENCY (MCADAM ELLIPSE) SDCM6 IMPACT STRENGTH IK08 **COVERING OF THE LUMINAIRE WITH** THERMALLY INSULATING MATERIAL POSSIBLE No **DIMMING DALI-2** No **DIMMING PHASE CUT-ON** No **DIMMING GPRS** No PULSE DURATION IN µS 0 **BEG FUNDING** Only relevant in Germany **ENERGIEEFFIZIENZKLASSE DER** LICHTQUELLE EINER LEUCHTE **COLOUR OF LIGHT ADJUSTABLE** No